

Hallway KNX - Surface wiring black

PRESENCE DETECTOR



EAN 4007841086442

- Perfect radial detection with a range of up to 25 m, ideal for long corridors and hallways
- Customisable range that can be set individually in both directions
- Control PRO II design for a modern and functional look that enables versatile applications
- Bluetooth technology for simple connection and control via Bluetooth
- Multiple interfaces, compatible with COM1, COM2, DALI-2 APC, DALI-2 IPD, KNX, IP and BT IPD
- External light measurement required for black sensors that can be integrated via Bluetooth or KNX

62 x 123 x 123 mm



Hallway KNX - Surface wiring black

PRESENCE DETECTOR

EAN 4007841086442

Technical Data

IDENTIFICATION

PU1 EAN	4007841086442
Material number	110092819
SAP designation	PRAESENZMEL HALLWAY V2 KNX-3.5 AP SW
Version	Presence detector
Product name data sheet	Hallway KNX - Surface wiring black
Product category	Presence detector
Discount group	TPK
Source	Steinel Excel
Product status	Normal
Manufacturer	Steinel

DIMENSIONS

Dimensions L x W x H	62 x 123 x 123 mm
PU1 net weight	0.265

SENSOR TECHNOLOGY

Max. mounting height	4,00 m
Sensor technology	High frequency
Transmission power	< 1 mW
HF technology	5,8 GHz
With motion detector	Yes

Detection	also through glass, wood and stud walls
Detection angle	360 °
Opening angle	160 °
Sneak-under protection	Yes
Segment-by-segment masking	No
Electronic scalability	Yes
Mechanical scalability	No
Radial range	25 x 3 m (75 m²)
Tangential range	25 x 3 m (75 m²)
Mounting height	2 – 4 m
Optimal mounting height	2,8 m
Nevalux sensor technology	BT Open Mesh, KNX

CONNECTIVITY

Networking	Yes
Networking via	Bluetooth Mesh
With bus coupler	Yes

LIGHTING TECHNOLOGY

Continuous light selectable

SETTINGS

Twilight switch Yes

Twilight setting	2 – 2000 lx
Time setting	0 s – 1092 Min.
Base light function	Yes
Main light adjustable	Yes
Settings via	Bluetooth Mesh
With remote control	No
Twilight setting teach	Yes

HOUSING & MATERIAL

Protection class (IP)	IP20
Ambient temperature	from -25 up to 50 °C
Mounting location	ceiling
Application location	Indoors
Mounting type	Surface wiring
Material	Plastic
Application room	Indoors corridor / aisle
Colour	black
RAL colour	9005

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	5 years
Corner wall bracket included	No


Hallway KNX - Surface wiring black

PRESENCE DETECTOR

EAN 4007841086442

Illustrations

TECHNICAL DRAWINGS



62 x 123 x 123 mm

MOUNTING HEIGHT

2 – 4 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
--------------------	------------------	---------------

Hallway KNX - Surface wiring black

EAN 4007841086442

PRESENCE DETECTOR

Highlights



UV-resistant plastic

Hallway KNX - Surface wiring black

PRESENCE DETECTOR

EAN 4007841086442

Accessories

ORDERING INFORMATION	
Art.-Nr.	086442
EAN	4007841086442
Typ	Hallway KNX - Surface wiring black
nevalux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	