

Hallway DALI-2 Input Device - Aufputz

HALLWAY

neva
lux

62 x 123 x 123 mm



Hallway DALI-2 Input Device - Aufputz

HALLWAY

Technical Data

IDENTIFICATION	
Version	Presence detector
Source	woocommerce
Product status	Normal
Manufacturer	Nevalux
DIMENSIONS	
Dimensions L x W x H	62 x 123 x 123 mm
ELECTRICAL	
Mains connection	12 – 23 V
Supply voltage detail	DALI bus
SENSOR TECHNOLOGY	
Max. mounting height	4,00 m
Sensor technology	High frequency
Transmission power	< 1 mW
HF technology	5,8 GHz
With motion detector	Yes
Detection	also through glass, wood and stud walls
Detection angle	360 °
Opening angle	140 °
Sneak-under protection	Yes

Segment-by-segment masking	No
Electronic scalability	Yes
Mechanical scalability	No
Radial range	25 x 3 m (75 m²)
Tangential range	25 x 3 m (75 m²)
Mounting height	2,00 – 4,00 m
Optimal mounting height	2,8 m
Nevalux sensor technology	BT Open Mesh, DALI 2
CONNECTIVITY	
Networking	Yes
Type of networking	Master/slave
Networking via	Bluetooth\nDALI bus
With bus coupler	Yes
LIGHTING TECHNOLOGY	
Soft light start	No
Constant light regulation	Yes
SETTINGS	
Twilight switch	Yes
Base light function	No

Main light adjustable	No
Settings via	Bluetooth\nBus
With remote control	No
Twilight setting teach	No
HOUSING & MATERIAL	
Protection class (IP)	IP20
Ambient temperature	from -20 up to 50 °C
Mounting location	ceiling
Application location	Indoors
Mounting type	Surface wiring
Material	Plastic
Application room	Indoors\ncorridor / aisle
Colour	white
RAL colour	9003
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	5 years
Corner wall bracket included	No
CERTIFICATES & EPREL	
Certificates	DALI-2

Hallway DALI-2 Input Device - Aufputz

HALLWAY

Illustrations

MOUNTING HEIGHT

2,00 – 4,00 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
--------------------------	------------------	---------------

Hallway DALI-2 Input Device - Aufputz

HALLWAY

Accessories

ORDERING INFORMATION	
Art.-Nr.	4007841064549
Typ	Hallway DALI-2 Input Device - Aufputz
nevalux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	