

L 271 digi C without motion detector, with Bluetooth

neva
lux

LED OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841068714

- Outdoor light without motion detector in flat linear design
- Wireless networking via Bluetooth Mesh and easy setting via STEINEL Connect App
- Functions: adjustable basic and main light (basic light only in combination with a Bluetooth sensor luminaire), scheduling function
- Warm white light (3000 K) and long-life 6,6 W LEDs with 566 lm
- Incl. mounting accessories - plastic-free packaging

65 x 116 x 235 mm



L 271 digi C without motion detector, with Bluetooth

EAN 4007841068714

LED OUTDOOR LIGHT WITHOUT SENSOR

Technical Data

IDENTIFICATION		SENSOR TECHNOLOGY		HOUSING & MATERIAL	
PU1 EAN	4007841068714	With motion detector	No	Impact resistance	IK03
Material number	110079228	Nevalux sensor technology	BT SIG Mesh	Protection class (IP)	IP44
SAP designation	LED AUSSENLEUCHTE L 271 DIGI C ANT	CONNECTIVITY		Protection class	II
Product name data sheet	L 271 digi C without motion detector, with Bluetooth	Networking	Yes	Ambient temperature	from -10 up to 40 °C
Product category	LED outdoor light without sensor	Networking via	Bluetooth Mesh	Housing material	Aluminium
Discount group	ACH	LIGHTING TECHNOLOGY		Cover material	Plastic, opal
Source	Steinel Excel	Measured luminous flux 360°	566 lm	Mounting location	wall
Product status	Normal	Efficiency	85 lm/W	Application location	Outdoors
Manufacturer	Steinel	Colour temperature	3000 K	Mounting type	Surface wiring
DIMENSIONS		Colour rendering index	= 82	Material	Aluminium
Dimensions L × W × H	65 x 116 x 235 mm	With illuminant	Yes, STEINEL LED system	Application room	garden front door all round the building terrace / balcony
PU1 net weight	0.754	Illuminant	LED cannot be replaced	Colour	Anthracite
ELECTRICAL		Continuous light	selectable	SCOPE OF DELIVERY & WARRANTY	
Mains connection	220 – 240 V / 50 – 60 Hz	LIFETIME		Manufacturer warranty	3 years
Power	6,6 W	Average rated power supply lifetime at 25 °C	> 60000 h	House number sheet included	No
		SETTINGS		CERTIFICATES & EPREL	
		With remote control	No	EPREL category	Surrounded product with integrated light source


L 271 digi C without motion detector, with Bluetooth

EAN 4007841068714

LED OUTDOOR LIGHT WITHOUT SENSOR

Illustrations

TECHNICAL DRAWINGS



65 x 116 x 235 mm

L 271 digi C without motion detector, with Bluetooth

EAN 4007841068714

LED OUTDOOR LIGHT WITHOUT SENSOR

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram Bluetooth

L 271 digi C without motion detector, with Bluetooth


EAN 4007841068714

LED OUTDOOR LIGHT WITHOUT SENSOR

Highlights



Interconnectable and adjustable via Bluetooth



Operatable via app

L 271 digi C without motion detector, with Bluetooth

EAN 4007841068714

LED OUTDOOR LIGHT WITHOUT SENSOR

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841088620	Funkschalter TapDuo C	System components

ORDERING INFORMATION

Art.-Nr.

068714

EAN

4007841068714

Typ

L 271 digi C without motion detector, with Bluetooth

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss