

Multisensor Air KNX

neva
lux

- UV-resistant plastic

33 x 123 x 123 mm



Multisensor Air KNX

Technical Data

IDENTIFICATION				HOUSING & MATERIAL	
Version	Other	Type of networking	Master/master\nMaster/slave	Protection class (IP)	IP20
Source	woocommerce	Networking via	KNX bus	Ambient temperature	from 0 up to 40 °C
Product status	Discontinued item	KNX functions	Comfort\nCO2\nLight level\nHVAC output\nAir pressure\nHumidity output\nDewpoint\nTemperature output\nVOC\nPhoto-cell controller\nLogic gate	Mounting location	ceiling
Manufacturer	Nevalux			Application location	Indoors
DIMENSIONS				Mounting type	Concealed wiring
Dimensions L × W × H	33 x 123 x 123 mm	With bus coupler	Yes	Material	Plastic
ELECTRICAL		LIGHTING TECHNOLOGY		Application room	classroom\nlecture hall\nnone-person office\nopen-plan office\nconference room / meeting room\nhotel room\ncafe room\nstudy room\nrecreation room\nsports hall\nreception / lobby\nIndoors
Mains connection	30 V	Soft light start	Yes	Colour	white
Own consumption	0,5 W	Constant light regulation	No	RAL colour	9016
Supply voltage detail	KNX bus	SETTINGS		SCOPE OF DELIVERY & WARRANTY	
SENSOR TECHNOLOGY		Twilight switch	Yes	Manufacturer warranty	5 years
Max. mounting height	4,00 m	Twilight setting	2 – 1000 lx	Corner wall bracket included	No
Sensor technology	Multisensor	Base light function	Yes		
With motion detector	No	Main light adjustable	No		
Mounting height	4,00 m	Settings via	ETS software\nBluetooth\nBus		
Optimal mounting height	2,8 m	With remote control	No		
CONNECTIVITY		Twilight setting teach	Yes		
Networking	Yes				

Multisensor Air KNX


Illustrations

MOUNTING HEIGHT

4,00 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
-------------------	------------------	---------------

Multisensor Air KNX

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841063870	Aufputz Adapter Multisensor weiss	Accessory

ORDERING INFORMATION

Art.-Nr.

4007841056346

Typ

Multisensor Air KNX

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss