

TCL PRO Anthracite

LIGHT SENSOR

neva
lux

EAN 4007841089153

- Photo-cell controller for automatic night-time illumination of house fronts, gardens, shop windows and other areas
- Straight, flat design made of UV-resistant material
- Wireless networking via Bluetooth and easy setting via STEINEL Connect App
- Thanks to the brightness sensor, the light comes on automatically at dusk - and goes off again at dawn
- Functions: Individual time settings via timer, night-economy mode

38 x 95 x 95 mm



TCL PRO Anthracite

EAN 4007841089153

LIGHT SENSOR

Technical Data

IDENTIFICATION		SENSOR TECHNOLOGY		Settings via	
PU1 EAN	4007841089153	Max. mounting height	4,00 m	Bluetooth Mesh App Smartphone	
Material number	110099978	Sensor technology	Photo-cell controller	With remote control	No
SAP designation	ZEITSENSOR TCL PRO BT-IPD ANT	With motion detector	No	Twilight setting teach	Yes
Version	Photo-cell controller	HOUSING & MATERIAL			
Product name data sheet	TCL PRO Anthracite	Mounting height	1,80 – 4,00 m	Protection class (IP)	IP54
Product category	Light sensor	Optimal mounting height	2 m	Ambient temperature	from -20 up to 40 °C
Discount group	B	Nevalux sensor technology	BT SIG Mesh	Housing material	Plastic
Source	Steinel Excel	CONNECTIVITY		Mounting location	wall
Product status	Normal	Networking	Yes	Application location	Outdoors
Manufacturer	Steinel	Type of networking	Master/master Master/slave	Mounting type	Surface wiring
		Networking via	Bluetooth Mesh	Material	Plastic
DIMENSIONS		LIGHTING TECHNOLOGY		Application room	outdoors front door courtyard & driveway Indoors all round the building terrace / balcony
Dimensions L x W x H	38 x 95 x 95 mm	Constant light regulation	No	Colour	Anthracite
PU1 net weight	0.125	SETTINGS		SCOPE OF DELIVERY & WARRANTY	
		Twilight switch	Yes	Manufacturer warranty	5 years
ELECTRICAL		Twilight setting	1 – 1000 lx		
Mains connection	220 – 240 V / 50 – 60 Hz	Base light function	No		
Own consumption	0,5 W				


TCL PRO Anthracite

LIGHT SENSOR

EAN 4007841089153

Illustrations

TECHNICAL DRAWINGS



38 x 95 x 95 mm

MOUNTING HEIGHT

1,80 – 4,00 m BEREICH	2 m OPTIMAL	4,00 m MAX
--------------------------	----------------	---------------

TCL PRO Anthracite

LIGHT SENSOR

EAN 4007841089153

Highlights



UV resistant material



Interconnectable and adjustable via
Bluetooth

TCL PRO Anthracite

LIGHT SENSOR

EAN 4007841089153

Accessories

ORDERING INFORMATION	
Art.-Nr.	089153
EAN	4007841089153
Typ	TCL PRO Anthracite
nevalux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	