

# aluna DALI C910 4K

ALUNA

neva  
lux

- Timeless simple textile lamp in 3 different sizes
- Available in ceiling and pendant versions
- Connect version with IoT lighting control for next generation lighting projects (swarm function, grouping, cleaning light etc.)
- Connect version available with light sensor (LS) or with motion detector and light sensor (PIR)
- For universal use for illumination of offices, schools, traffic zones, etc.
- Very high quality workmanship from Swiss manufacturing
- Sophisticated thermal management for long service life
- Variants with adjustable light color (Tunable White) to emulate the natural course of daylight
- Fabric shade can be ordered in any color

910 x 118 mm



aluna DALI C910 4K

ALUNA

Technical Data

| IDENTIFICATION            |                             | LIGHTING TECHNOLOGY         |                              | Direct/indirect ratio<br>separately controllable |                         |
|---------------------------|-----------------------------|-----------------------------|------------------------------|--------------------------------------------------|-------------------------|
| Source                    | woocommerce                 | Colour temperature          | 4000 K                       |                                                  |                         |
| Product status            | Normal                      | LED colour deviation        | SDCM3                        | HOUSING & MATERIAL                               |                         |
| Manufacturer              | Nevalux                     | Colour rendering index      | 80-89                        | Protection class (IP)                            | IP20                    |
| DIMENSIONS                |                             | Illuminant                  | LED                          | Protection class                                 | I                       |
| Dimensions Ø × H          | 910 x 118 mm                | Luminous flux               | 9800 lm (Down 8430, Up 1370) | Ambient temperature                              | -20...45 °C             |
| ELECTRICAL                |                             | Beam angle                  | 105°                         | Housing material                                 | Steel                   |
| Mains connection          | 200...240 V / 50 – 60 Hz    | Luminaire luminous efficacy | 125 lm/W                     | Cover material                                   | Acrylic glass opal      |
| Power                     | 78 W                        | Glare value                 | UGR < 21                     | Mounting type                                    | Ceiling surface-mounted |
| Replaceable driver        | Yes                         | LIFETIME                    |                              | Colour                                           | White                   |
| Type of wiring            | Suitable for through wiring | LED lifespan (25 °C)        | 70000 h                      | SCOPE OF DELIVERY & WARRANTY                     |                         |
| SENSOR TECHNOLOGY         |                             | SETTINGS                    |                              | Manufacturer warranty                            | 5 years                 |
| With motion detector      | No                          | DALI dimming                | Yes                          | CERTIFICATES & EPREL                             |                         |
| Nevalux sensor technology | DALI 2, On / Off            | With emergency light        | No                           | EPREL energy efficiency class                    | D                       |
| With light sensor         | No                          |                             |                              |                                                  |                         |

aluna DALI C910 4K

ALUNA

Accessories

| ARTICLE NUMBER                                                                          | DESCRIPTION                  | CATEGORY           |
|-----------------------------------------------------------------------------------------|------------------------------|--------------------|
|  221105 | ayana Diffusor 850 CDP       | Cover              |
|  221108 | Emergency Package 1h (Astra) | Emergency lighting |
|  221846 | aluna Color RAL_NCS_Ø910     | Other              |

ORDERING INFORMATION

Art.-Nr.

221434

Typ

aluna DALI C910 4K

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss