

RS PRO S30 Q SC warm white

SENSOR-SWITCHED LED INDOOR LIGHT

neva
lux

EAN 4007841067526

331 x 331 x 56 mm




RS PRO S30 Q SC warm white

SENSOR-SWITCHED LED INDOOR LIGHT

EAN 4007841067526

Illustrations

TECHNICAL DRAWINGS



331 x 331 x 56 mm

MOUNTING HEIGHT

2,00 – 4,00 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
--------------------------	------------------	---------------


RS PRO S30 Q SC warm white

SENSOR-SWITCHED LED INDOOR LIGHT

EAN 4007841067526


Wiring Diagrams

WIRING DIAGRAM 1



Slave/wireless master interconnection circuit diagram

WIRING DIAGRAM 2



Master/master interconnection circuit diagram

RS PRO S30 Q SC warm white


EAN 4007841067526

SENSOR-SWITCHED LED INDOOR LIGHT

Highlights




Including STEINEL LED system



Intelligent LED cooling system



Optional basic lighting level 10 - 50 %



Interconnectable and adjustable via
Bluetooth



High-quality aluminium



Optional remote control RC10

RS PRO S30 Q SC warm white

EAN 4007841067526

SENSOR-SWITCHED LED INDOOR LIGHT

Accessories

ORDERING INFORMATION

Art.-Nr. 067526

EAN 4007841067526

Typ RS PRO S30 Q SC warm white

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss