

zwena connect HF C900 4K

ZWENA CONNECT C

neva
lux

900 x 82 mm



zwena connect HF C900 4K

ZWENA CONNECT C

Technical Data

IDENTIFICATION		Nevalux sensor technology	Smartlink, BT SIG Mesh	With emergency light	No
Source	woocommerce	With light sensor	Yes	Direct/indirect ratio separately controllable	No
Product status	Normal	CONNECTIVITY		With program-controlled lighting control	Yes
Manufacturer	Nevalux	With radio network control	Yes	Constant light output control	Yes
DIMENSIONS		LIGHTING TECHNOLOGY		HOUSING & MATERIAL	
Dimensions Ø × H	900 x 82 mm	Colour temperature	4000 K	Protection class (IP)	IP20
ELECTRICAL		LED colour deviation	SDCM3	Protection class	I
Mains connection	200...240 V / 50 – 60 Hz	Colour rendering index	80-89	Ambient temperature	-20...45 °C
Power	80 W	Illuminant	LED	Housing material	Aluminum
Replaceable driver	Yes	Luminous flux	9000 lm (Down 5600, Up 3400)	Cover material	Microprismatic acrylic glass
Type of wiring	Suitable for through wiring	Beam angle	Down 95°, Up 100°	Mounting type	Ceiling / wall surface-mounted
LED rated current	2100 mA	Luminaire luminous efficacy	113 lm/W	Colour	White
SENSOR TECHNOLOGY		Glare value	UGR < 18	SCOPE OF DELIVERY & WARRANTY	
Sensor technology	High frequency	LIFETIME		Manufacturer warranty	5 years
With motion detector	Yes	LED lifespan (25 °C)	50000 h	CERTIFICATES & EPREL	
Detection angle	360°	SETTINGS		EPREL energy efficiency class	E
Radial range	Ø 8 m (50 m²)	DALI dimming	Yes		
Tangential range	Ø 8 m (50 m²)				
Mounting height	< 4 m				

zwena connect HF C900 4K

ZWENA CONNECT C

Illustrations


MOUNTING HEIGHT

< 4 m BEREICH
--

zwena connect HF C900 4K

ZWENA CONNECT C

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 221618	Emergency Package 1h (50V/3.5W)	Emergency lighting
 221570	Connect TK2 BLM	Pushbutton interface
 221591	Smartlink T-Board PB4	Wireless push-button
 221970	Bluetooth EDIZIO.liv SNAPFIX Low Energy PB2	Wireless push-button
 221971	Bluetooth EDIZIO.liv SNAPFIX Low Energy PB4	Wireless push-button

ORDERING INFORMATION

Art.-Nr.

222048

Typ

zwena connect HF C900 4K

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss