

GL 60 S

SENSOR-SWITCHED LED OUTDOOR LIGHT



EAN 4007841007881

- Floor and path luminaire with motion detector with high-quality stainless steel base and opal glass
- Perfect complement to the L 260 S outdoor light
- Automatic light thanks to 360 ° Infrared sensor with up to 12 m detection of movement
- Functions: adjustable basic light, pleasant soft light start, 4 hours continuous light
- Incl. E27 LED bulb with warm white light (3000 K) with 781 lm at 9,78 W
- Incl. mounting accessories - plastic-free packaging


GL 60 S

SENSOR-SWITCHED LED OUTDOOR LIGHT

EAN 4007841007881

Illustrations

TECHNICAL DRAWINGS




GL 60 S

SENSOR-SWITCHED LED OUTDOOR LIGHT

EAN 4007841007881

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

GL 60 S

EAN 4007841007881

SENSOR-SWITCHED LED OUTDOOR LIGHT


Highlights




4-hour manual override (optional)




Including innovative LED lamp



Optional basic lighting level 0 - 50 %



High-quality stainless steel



High-quality opal glass shade

GL 60 S

SENSOR-SWITCHED LED OUTDOOR LIGHT

EAN 4007841007881

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841008321	LED Leuchtstab GL 60 S	Accessory
 4007841001346	Ersatzglas für GL 60 S	Spare Part
 4007841001339	Ersatz-Elektronikeinheit GL 60 S	Spare Part

ORDERING INFORMATION

Art.-Nr.

007881

EAN

4007841007881

Typ

GL 60 S

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss