

RS PRO 5150 SC mit Bewegungsmelder & Bluetooth Verso

neva
lux

RS PRO 5100 UND 5150

1500 x 87 x 58 mm



RS PRO 5100 UND 5150

IDENTIFICATION

Type of accessory	Other
Source	woocommerce
Product status	Normal
Manufacturer	Nevalux

DIMENSIONS

Dimensions L x W x H **1500 x 87 x 58 mm**

ELECTRICAL

Mains connection	220 – 240 V / 50 – 60 Hz
Power	42 W
Own consumption	0,45 W

SENSOR TECHNOLOGY

Max. mounting height	4,00 m
Sensor technology	High frequency
With motion detector	Yes
Detection	also through glass, wood and stud walls
Detection angle	360 °
Opening angle	160 °
Electronic scalability	Yes
Mechanical scalability	No
Radial range	Ø 10 m (79 m²)
Tangential range	Ø 10 m (79 m²)
Mounting height	2,00 – 4,00 m

Nevalux sensor technology BT SIG Mesh

CONNECTIVITY

Networking	Yes
------------	-----

LIGHTING TECHNOLOGY

Measured luminous flux 360°	5940 lm
Colour temperature	4000 K
Colour rendering index	90-100

LIFETIME

LED lifetime max. °C	60000 h
Luminous flux decline per LM80	L80B10

SETTINGS

Twilight setting	2 – 2000 lx
Time setting	5 sec – 60 min
Base light function	Yes
Base light function time	1-60 min

Functions

Functions	Encrypted
communication	Presence
function	Orientation
light	Neighbouring group
function	Light sensor
selection of the light value in a luminaire group	Adjustable
fade time when switching on and off	Motions
sensor	Connection to central battery systems

With remote control	Yes
Base light function in percent	10 %
Base light function percent from	10

HOUSING & MATERIAL

Impact resistance	IK07
Protection class (IP)	IP66
Protection class	II
Ambient temperature	-20 – 40 °C
Housing material	Plastic
Cover material	Plastic, structured
Material	Plastic
Colour	grey

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	5 years
-----------------------	---------

CERTIFICATES & EPREL

Certificates **DEKRA**

RS PRO 5150 SC mit Bewegungsmelder & Bluetooth Verso

RS PRO 5100 UND 5150

Illustrations

MOUNTING HEIGHT

2,00 – 4,00 m BEREICH	4,00 m MAX
--------------------------	---------------

RS PRO 5150 SC mit Bewegungsmelder & Bluetooth Verso

RS PRO 5100 UND 5150

Accessories

ORDERING INFORMATION

Art.-Nr. 221393

Typ **RS PRO 5150 SC mit Bewegungsmelder & Bluetooth
Verso**

**neva
lux**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss