

lisha V2 DALI C1500 4K

LISHA V2


neva
lux

Product code **221622**

- For universal use for lighting offices, schools, traffic zones, etc.
- Connect version with IoT lighting control for next generation lighting projects (swarm function, grouping, cleaning light etc.)
- Connect version available with light sensor (LS) or with motion detector and light sensor (PIR)
- Microprismatic diffuser for best possible glare control
- Link technology for seamless extension of the luminaire with continuous wiring
- Variants with 1.2 and 1.5 meter length available
- Housing Aluminium RAL9016, white

neva
lux

1518 x 60 x 80 mm



lisha V2 DALI C1500 4K

LISHA V2

Product code 221622

Technical Data

DIMENSIONS		LIGHTING TECHNOLOGY		Suitable for light band configuration	Yes
Dimensions L x W x H	1518 x 60 x 80 mm	Colour temperature	4000 K		
ELECTRICAL		LED colour deviation	SDCM3	HOUSING & MATERIAL	
Mains connection	200...240 V / 50 – 60 Hz	Colour rendering index	80-89	Protection class (IP)	IP20
Power	40 W	Illuminant	LED	Protection class	I
Replaceable driver	Yes	Luminous flux	4800 lm	Ambient temperature	-20...45 °C
Type of wiring	Through wiring included	Beam angle	90°	Housing material	Aluminum
LED rated current	950 mA	Luminaire luminous efficacy	120 lm/W	Cover material	Microprismatic acrylic glass
Maximum number of luminaires per circuit breaker	C10: 18x, C13: 23x, C16: 28x, C20: 35x, B10: 15x, B13: 20x, B16: 24x, B20: 30x	Glare value	UGR < 22	Mounting type	Ceiling surface-mounted
SENSOR TECHNOLOGY		LIFETIME		Colour	white
With motion detector	No	LED lifespan (25 °C)	50000 h	SCOPE OF DELIVERY & WARRANTY	
With light sensor	No	SETTINGS		Manufacturer warranty	5 years
		DALI dimming	Yes	CERTIFICATES & EPREL	
		With emergency light	No	EPREL energy efficiency class	E

lisha V2 DALI C1500 4K

LISHA V2

Product code 221622

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 221642	lisha V2 Diffusor 1M	Cover
 221772	lisha V2 Link C	Coupler/connector straight
 221618	Emergency Package 1h (50V/3.5W)	Emergency lighting

ORDERING INFORMATION

Art.-Nr.

221622

Typ

lisha V2 DALI C1500 4K

nevalux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss