

GL 80 C without motion detector, with Bluetooth


neva
lux

OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841079284

- Floor and path luminaire without motion detector, perfect for illuminating paths and driveways
- Elegant and modern design in cube format made of UV-resistant material
- Wireless networking via Bluetooth Mesh and easy setting via STEINEL Connect App
- Functions: adjustable basic and main light (basic light only in combination with a Bluetooth sensor luminaire), scheduling function
- Warm white light (3000 K) and long-life 9,1 W LEDs with 650 lm
- Incl. mounting accessories - plastic-free packaging

161 x 110 x 633 mm



GL 80 C without motion detector, with Bluetooth

EAN 4007841079284

OUTDOOR LIGHT WITHOUT SENSOR

Technical Data

IDENTIFICATION		SENSOR TECHNOLOGY		HOUSING & MATERIAL	
PU1 EAN	4007841079284	With motion detector	No	Impact resistance	IK03
Material number	110082350	Nevalux sensor technology	BT SIG Mesh	Protection class (IP)	IP44
SAP designation	LED AUSSENLEUCHTE GL 80 C ANT	CONNECTIVITY		Protection class	I
Product name data sheet	GL 80 C without motion detector, with Bluetooth	Networking via	Bluetooth	Housing material	Plastic
Product category	Outdoor light without sensor	LIGHTING TECHNOLOGY		Cover material	Plastic, opal
Discount group	ACH	Measured luminous flux 360°	650 lm	Mounting location	Stand mounted
Source	Steinel Excel	Colour temperature	3000 K	Application location	Outdoors
Product status	Normal	Colour rendering index	80-89	Mounting type	Surface wiring
Manufacturer	Steinel	With illuminant	Yes, STEINEL LED system	Application room	garden front door courtyard & driveway all round the building terrace / balcony
DIMENSIONS		Illuminant	LED cannot be replaced	Colour	Anthracite
Dimensions L x W x H	161 x 110 x 633 mm	LIFETIME		SCOPE OF DELIVERY & WARRANTY	
PU1 net weight	1.37	LED lifetime L70B50 25°C	> 60000 h	Manufacturer warranty	3 years
ELECTRICAL		SETTINGS		House number sheet included	No
Mains connection	220 – 240 V / 50 – 60 Hz	With remote control	No	CERTIFICATES & EPREL	
Power	9,1 W			EPREL category	Surrounded product with integrated light source


GL 80 C without motion detector, with Bluetooth

EAN 4007841079284

OUTDOOR LIGHT WITHOUT SENSOR

Illustrations

TECHNICAL DRAWINGS



161 x 110 x 633 mm

GL 80 C without motion detector, with Bluetooth

EAN 4007841079284

OUTDOOR LIGHT WITHOUT SENSOR

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram Bluetooth

WIRING DIAGRAM 2




Circuit diagram Bluetooth

GL 80 C without motion detector, with Bluetooth

EAN 4007841079284

OUTDOOR LIGHT WITHOUT SENSOR

Highlights



Intelligent soft light start



Optional basic lighting level 10 - 100 %
(only with bluetooth sensor product)



UV-resistant plastic

GL 80 C without motion detector, with Bluetooth

EAN 4007841079284

OUTDOOR LIGHT WITHOUT SENSOR

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841078751	Ersatz-Profil GL 80 anthrazit	Spare Part
 4007841078737	Ersatz-Fuss GL 80 anthrazit	Other
 4007841088620	Funkschalter TapDuo C	System components
 4007841089870	Ersatz-Fuss GL 80 anthrazit	Spare Part

ORDERING INFORMATION

Art.-Nr.

079284

EAN

4007841079284

Typ

GL 80 C without motion detector, with Bluetooth

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss