

aluna DALI C630 3K

ALUNA

neva
lux

- Timeless simple textile lamp in 3 different sizes
- Available in ceiling and pendant versions
- Connect version with IoT lighting control for next generation lighting projects (swarm function, grouping, cleaning light etc.)
- Connect version available with light sensor (LS) or with motion detector and light sensor (PIR)
- For universal use for illumination of offices, schools, traffic zones, etc.
- Very high quality workmanship from Swiss manufacturing
- Sophisticated thermal management for long service life
- Variants with adjustable light color (Tunable White) to emulate the natural course of daylight
- Fabric shade can be ordered in any color

630 x 118 mm



aluna DALI C630 3K

ALUNA

Technical Data

IDENTIFICATION		LIGHTING TECHNOLOGY		Direct/indirect ratio separately controllable	
Source	woocommerce	Colour temperature	3000 K		
Product status	Normal	LED colour deviation	SDCM3	HOUSING & MATERIAL	
Manufacturer	Nevalux	Colour rendering index	80-89	Protection class (IP)	IP20
DIMENSIONS		Illuminant	LED	Protection class	I
Dimensions Ø × H	630 x 118 mm	Luminous flux	6100 lm (Down 5250, Up 850)	Ambient temperature	-20...45 °C
ELECTRICAL		Beam angle	105°	Housing material	Steel
Mains connection	200...240 V / 50 – 60 Hz	Luminaire luminous efficacy	122 lm/W	Cover material	Acrylic glass opal
Power	51 W	Glare value	UGR < 21	Mounting type	Ceiling surface-mounted
Replaceable driver	Yes	LIFETIME		Colour	White
Type of wiring	Suitable for through wiring	LED lifespan (25 °C)	70000 h	SCOPE OF DELIVERY & WARRANTY	
SENSOR TECHNOLOGY		SETTINGS		Manufacturer warranty	5 years
With motion detector	No	DALI dimming	Yes	CERTIFICATES & EPREL	
Nevalux sensor technology	DALI 2, On / Off	With emergency light	No	EPREL energy efficiency class	E
With light sensor	No				

aluna DALI C630 3K

ALUNA

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 221104	ayana Diffusor 570 CDP	Cover
 221108	Emergency Package 1h (Astra)	Emergency lighting
 221845	aluna Color RAL_NCS_0630	Other

ORDERING INFORMATION

Art.-Nr.

221432

Typ

aluna DALI C630 3K

neva
lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss