

Hallway KNX - Unterputz

HALLWAY

neva
lux

65 x 103 x 103 mm



Hallway KNX - Unterputz

HALLWAY

Technical Data

IDENTIFICATION				SETTINGS	
Variant	KNX - Concealed wiring	Segment-by-segment masking	No	Twilight setting	10 – 1000 lx
Version	Presence detector	Electronic scalability	Yes	Time setting	10 sec – 1092 min
Source	woocommerce	Mechanical scalability	No	Base light function	Yes
Product status	Normal	Radial range	25 x 3 m (75 m²)	Settings via	ETS software, Bluetooth, Bus
Manufacturer	Nevalux	Tangential range	25 x 3 m (75 m²)	With remote control	No
DIMENSIONS		Mounting height	2 – 4 m	Twilight setting teach	Yes
Dimensions L x W x H	65 x 103 x 103 mm	Optimal mounting height	2,8 m	HOUSING & MATERIAL	
ELECTRICAL		Nevalux sensor technology	BT Open Mesh, KNX	Protection class (IP)	IP20
Mains connection	30 V	FIL_4_PRO sensor technology	High frequency	Ambient temperature	-25 – 50 °C
Own consumption	0,7 W	CONNECTIVITY		Mounting location	ceiling
Supply voltage detail	KNX bus	Networking	Yes	Application location	Indoors
FIL_2_PRO interfaces	KNX	Type of networking	Master/master, Master/slave	Mounting type	Concealed wiring
SENSOR TECHNOLOGY		KNX functions	Comfort, Photo-cell controller, Individual pyro evaluation, Basic light level function, Light level, HVAC output, Constant-lighting control, Light output 4x, Presence output, Day / night function, Dewpoint, Logic gate	Material	Plastic
Sensor technology	High frequency			Colour	white
HF technology	5,8 GHz			RAL colour	9010
Detection	also through glass, wood and stud walls			SCOPE OF DELIVERY & WARRANTY	
Detection angle	360 °			Manufacturer warranty	5 years
Opening angle	140 °	With bus coupler	Yes	OTHER	
Sneak-under protection	Yes	LIGHTING TECHNOLOGY		Application, location, room	Indoors, corridor / aisle
		Constant light regulation	Yes		

Hallway KNX - Unterputz

HALLWAY

Illustrations

MOUNTING HEIGHT

2 – 4 m BEREICH	2,8 m OPTIMAL
---------------------------------------	-------------------------------------

Hallway KNX - Unterputz

HALLWAY

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841056353	Multisensor True Presence KNX weiss	Multisensor
 4007841056346	Multisensor Air KNX	
 4007841056339	True Presence KNX - Unterputz weiss	Presence detector

ORDERING INFORMATION

Art.-Nr.

4007841058036

Typ

Hallway KNX - Unterputz

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss