

ayana DALI P440 TW

AYANA

neva
lux

- Timeless simple acrylic glass luminaire in 3 different sizes
- Available in ceiling and pendant versions
- Connect version with IoT lighting control for next generation lighting projects (swarm function, grouping, cleaning light etc.)
- Connect version available with light sensor (LS) or with motion detector and light sensor (PIR)
- For universal use for illumination of offices, schools, traffic zones, etc.
- Very high quality workmanship from Swiss manufacturing
- Sophisticated thermal management for long service life
- Variants with adjustable light color (Tunable White) to emulate the natural course of daylight

440 x 95 mm



ayana DALI P440 TW

AYANA

Technical Data

IDENTIFICATION		With light sensor		No		With emergency light		No			
Source		woocommerce				Direct/indirect ratio separately controllable		No			
Product status		Normal									
Manufacturer		Nevalux									
DIMENSIONS				LIGHTING TECHNOLOGY				HOUSING & MATERIAL			
Dimensions Ø × H		440 x 95 mm		Colour temperature		3000...5600 K		Protection class (IP)		IP20	
Suspension length		2000 mm		LED colour deviation		SDCM3		Protection class		I	
ELECTRICAL				Colour rendering index		80-89		Ambient temperature		-20...45 °C	
Mains connection		200...240 V / 50 – 60 Hz		Illuminant		LED		Housing material		Steel	
Power		43 W		Luminous flux		5200 lm (Down 4470, Up 730)		Cover material		Acrylic glass opal	
Replaceable driver		Yes		Beam angle		105°		Mounting type		Ceiling pendant	
Type of wiring		Suitable for through wiring		Luminaire luminous efficacy		121 lm/W		Colour		White	
SENSOR TECHNOLOGY				Glare value		UGR < 22		SCOPE OF DELIVERY & WARRANTY			
With motion detector		No		LIFETIME				Manufacturer warranty		5 years	
Nevalux sensor technology		DALI 2, On / Off		LED lifespan (25 °C)		70000 h		CERTIFICATES & EPREL			
				SETTINGS				EPREL energy efficiency class		E	
				DALI dimming		Yes					

ayana DALI P440 TW

AYANA

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 221103	ayana Diffusor 440 CDP	Cover
 221108	Emergency Package 1h (Astra)	Emergency lighting

ORDERING INFORMATION

Art.-Nr.

221149

Typ

ayana DALI P440 TW

neva
lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss