

IS 3360 KNX - concealed, rd. white

MOTION AND PRESENCE DETECTOR

neva
lux

EAN 4007841058197

124 x 78 mm



IS 3360 KNX - concealed, rd. white

MOTION AND PRESENCE DETECTOR

EAN 4007841058197

Technical Data

IDENTIFICATION			
PU1 EAN	4007841058197	Segment-by-segment masking	Yes
Material number	110062758	Electronic scalability	No
SAP designation	BEWEGUNGSMELDER IS 3360-R KNX V3.1 UP WS	Mechanical scalability	No
Version	Motion and Presence Detector	Radial range	Ø 8 m (50 m²)
Product name data sheet	IS 3360 KNX - concealed, rd. white	Tangential range	Ø 40 m (1257 m²)
Product category	Motion and Presence Detector	Switching zones	1416 switching zones
Discount group	BK	Mounting height	2,50 – 4,00 m
Source	Steinel Excel	Presence range	Ø 3 m (7 m²)
Product status	Normal	Optimal mounting height	2,8 m
Manufacturer	Steinel	Nevalux sensor technology	KNX
DIMENSIONS		CONNECTIVITY	
Dimensions L × W × H	78 x 94 x 94 mm	Networking	Yes
Dimensions Ø × H	124 x 78 mm	Type of networking	Master/slave
PU1 net weight	0.141	Networking via	KNX bus
ELECTRICAL		KNX functions	Photo-cell controller Basic light level function Light level HVAC output Constant-lighting control Light output 2x Presence output Day / night function Logic gate
Supply voltage detail	KNX bus	With bus coupler	Yes
SENSOR TECHNOLOGY		LIGHTING TECHNOLOGY	
Max. mounting height	4,00 m	Soft light start	Yes
Sensor technology	passive infrared	Continuous light	selectable
With motion detector	Yes	Constant light regulation	Yes
Detection angle	360 °	SETTINGS	
Opening angle	180 °	Twilight switch	Yes
Sneak-under protection	Yes		

Twilight setting	2 – 1000 lx
Time setting	5 s – 15 Min.
Base light function	Yes
Main light adjustable	0 - 100 %
Settings via	ETS software Remote control Bus Smart Remote
With remote control	No
Twilight setting teach	Yes
HOUSING & MATERIAL	
Protection class (IP)	IP20
Ambient temperature	from -20 up to 50 °C
Mounting location	ceiling
Application location	Indoors
Mounting type	Concealed wiring
Material	Plastic
Application room	production facilities recreation room changing room function room / ancillary room sports hall reception / lobby stairwell WC / washroom multi-storey / underground car park warehouse Indoors
Colour	white
RAL colour	9003
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	5 years
Corner wall bracket included	No


IS 3360 KNX - concealed, rd. white

MOTION AND PRESENCE DETECTOR

EAN 4007841058197

Illustrations

TECHNICAL DRAWINGS



124 x 78 mm

MOUNTING HEIGHT

2,50 – 4,00 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
--------------------------	------------------	---------------

IS 3360 KNX - concealed, rd. white

EAN 4007841058197

MOTION AND PRESENCE DETECTOR

Highlights



UV-resistant plastic



Optional remote controls




Smart Remote remote control optional

IS 3360 KNX - concealed, rd. white

MOTION AND PRESENCE DETECTOR

EAN 4007841058197

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841593018	Service Fernbedienung RC6 KNX	Other
 4007841009151	Smart Remote	Accessory
 4007841592912	Nutzer Fernbedienung RC7 KNX	Accessory
 4007841056742	Schwarze Blende für IR-Sensoren Unterputz rund	Accessory
 4007841056728	Schwarze Blende für IR-Sensoren Unterputz eckig	Accessory

ORDERING INFORMATION

Art.-Nr.

058197

EAN

4007841058197

Typ

IS 3360 KNX - concealed, rd. white

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss