

lisha V2 DALI P1500 4K

LISHA V2

neva
lux

Product code **221626**

- For universal use for lighting offices, schools, traffic zones, etc.
- Connect version with IoT lighting control for next generation lighting projects (swarm function, grouping, cleaning light etc.)
- Connect version available with light sensor (LS) or with motion detector and light sensor (PIR)
- Microprismatic diffuser for best possible glare control
- Link technology for seamless extension of the luminaire with continuous wiring
- Variants with 1.2 and 1.5 meter length available
- Housing Aluminium RAL9016, white

neva
lux

1518 x 60 x 80 mm



lisha V2 DALI P1500 4K

LISHA V2

Product code 221626

Technical Data

DIMENSIONS		LIGHTING TECHNOLOGY			
Dimensions L x W x H	1518 x 60 x 80 mm	Colour temperature	4000 K	Direct/indirect ratio separately controllable	No
Suspension length	1500 mm	LED colour deviation	SDCM3	Constant light output control	Yes
ELECTRICAL		Colour rendering index	80-89	HOUSING & MATERIAL	
Mains connection	200...240 V / 50 – 60 Hz	Illuminant	LED	Protection class (IP)	IP20
Power	60 W	Luminous flux	7800 lm (Down 2340, Up 5460)	Protection class	I
Replaceable driver	Yes	Beam angle	Down 90°, Up 110°	Ambient temperature	-20...45 °C
Type of wiring	Through wiring included	Luminaire luminous efficacy	130 lm/W	Housing material	Aluminum
LED rated current	1500 mA	Glare value	UGR < 19	Cover material	Microprismatic acrylic glass
Maximum number of luminaires per circuit breaker	C10: 18x, C13: 23x, C16: 28x, C20: 35x, B10: 15x, B13: 20x, B16: 24x, B20: 30x	LIFETIME		Mounting type	Ceiling pendant
		LED lifespan (25 °C)	50000 h	Colour	white
SENSOR TECHNOLOGY		SETTINGS		SCOPE OF DELIVERY & WARRANTY	
With motion detector	No	DALI dimming	Yes	Manufacturer warranty	5 years
With light sensor	No	With emergency light	No	CERTIFICATES & EPREL	
		Suitable for light band configuration	Yes	EPREL energy efficiency class	D

lisha V2 DALI P1500 4K

LISHA V2

Product code 221626

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 221642	lisha V2 Diffusor 1M	Cover
 221643	lisha V2 Link P	Coupler/connector straight
 221831	lisha V2 CBox DALI	Adapter
 221618	Emergency Package 1h (50V/3.5W)	Emergency lighting

ORDERING INFORMATION

Art.-Nr.

221626

Typ

lisha V2 DALI P1500 4K

nevalux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss