

ayana DALI P570 TW

AYANA

neva
lux

- Timeless simple acrylic glass luminaire in 3 different sizes
- Available in ceiling and pendant versions
- Connect version with IoT lighting control for next generation lighting projects (swarm function, grouping, cleaning light etc.)
- Connect version available with light sensor (LS) or with motion detector and light sensor (PIR)
- For universal use for illumination of offices, schools, traffic zones, etc.
- Very high quality workmanship from Swiss manufacturing
- Sophisticated thermal management for long service life
- Variants with adjustable light color (Tunable White) to emulate the natural course of daylight

570 x 95 mm



ayana DALI P570 TW

AYANA

Technical Data

IDENTIFICATION		With light sensor		No	With emergency light		No
Source	woocommerce	LIGHTING TECHNOLOGY			Direct/indirect ratio separately controllable		No
Product status	Normal	Colour temperature		3000...5600 K	HOUSING & MATERIAL		
Manufacturer	Nevalux	LED colour deviation		SDCM3	Protection class (IP)		IP20
DIMENSIONS		Colour rendering index		80-89	Protection class		I
Dimensions Ø × H	570 x 95 mm	Illuminant		LED	Ambient temperature		-20...45 °C
Suspension length	2000 mm	Luminous flux		6100 lm (Down 5250, Up 850)	Housing material		Steel
ELECTRICAL		Beam angle		105°	Cover material		Acrylic glass opal
Mains connection	200...240 V / 50 – 60 Hz	Luminaire luminous efficacy		120 lm/W	Mounting type		Ceiling pendant
Power	51 W	Glare value		UGR < 21	Colour		White
Replaceable driver	Yes	LIFETIME			SCOPE OF DELIVERY & WARRANTY		
Type of wiring	Suitable for through wiring	LED lifespan (25 °C)		70000 h	Manufacturer warranty		5 years
SENSOR TECHNOLOGY		SETTINGS			CERTIFICATES & EPREL		
With motion detector	No	DALI dimming		Yes	EPREL energy efficiency class		E
Nevalux sensor technology	DALI 2, On / Off						

ayana DALI P570 TW

AYANA

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 221104	ayana Diffusor 570 CDP	Cover
 221108	Emergency Package 1h (Astra)	Emergency lighting

ORDERING INFORMATION

Art.-Nr.

221152

Typ

ayana DALI P570 TW

neva
lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss