

aluna DALI P500 TW

ALUNA

neva
lux

- Timeless simple textile lamp in 3 different sizes
- Available in ceiling and pendant versions
- Connect version with IoT lighting control for next generation lighting projects (swarm function, grouping, cleaning light etc.)
- Connect version available with light sensor (LS) or with motion detector and light sensor (PIR)
- For universal use for illumination of offices, schools, traffic zones, etc.
- Very high quality workmanship from Swiss manufacturing
- Sophisticated thermal management for long service life
- Variants with adjustable light color (Tunable White) to emulate the natural course of daylight
- Fabric shade can be ordered in any color

500 x 118 mm



aluna DALI P500 TW

ALUNA


Technical Data

IDENTIFICATION		With light sensor		No	With emergency light		No
Source	woocommerce	LIGHTING TECHNOLOGY					
Product status	Normal	Colour temperature	3000...5600 K		Direct/indirect ratio separately controllable	No	
Manufacturer	Nevalux	LED colour deviation	SDCM3		HOUSING & MATERIAL		
DIMENSIONS		Colour rendering index	80-89		Protection class (IP)	IP20	
Dimensions Ø × H	500 x 118 mm	Illuminant	LED		Protection class	I	
Suspension length	2000 mm	Luminous flux	5200 lm (Down 4470, Up 730)		Ambient temperature	-20...45 °C	
ELECTRICAL		Beam angle	105°		Housing material	Steel	
Mains connection	200...240 V / 50 – 60 Hz	Luminaire luminous efficacy	121 lm/W		Cover material	Acrylic glass opal	
Power	43 W	Glare value	UGR < 22		Mounting type	Ceiling pendant	
Replaceable driver	Yes	LIFETIME			Colour	White	
Type of wiring	Suitable for through wiring	LED lifespan (25 °C)		70000 h	SCOPE OF DELIVERY & WARRANTY		
SENSOR TECHNOLOGY		SETTINGS			Manufacturer warranty	5 years	
With motion detector	No	DALI dimming		Yes	CERTIFICATES & EPREL		
Nevalux sensor technology	DALI 2, On / Off				EPREL energy efficiency class	E	

aluna DALI P500 TW

ALUNA

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 221103	ayana Diffusor 440 CDP	Cover
 221108	Emergency Package 1h (Astra)	Emergency lighting
 221844	aluna Color RAL_NCS_0500	Other

ORDERING INFORMATION

Art.-Nr.

221415

Typ

aluna DALI P500 TW

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss