

IS 3360 40m KNX - surface, sq. black

PRESENCE DETECTOR

neva
lux

EAN 4007841068561

65 x 95 x 95 mm



IS 3360 40m KNX - surface, sq. black

PRESENCE DETECTOR

EAN 4007841068561

Technical Data

IDENTIFICATION			
PU1 EAN	4007841068561	Segment-by-segment masking	Yes
Material number	110078858	Electronic scalability	No
SAP designation	BEWEGUNGSMELDER IS 3360-E KNX V3.1 AP SW	Mechanical scalability	No
Version	Motion and Presence Detector	Radial range	Ø 8 m (50 m²)
Product name data sheet	IS 3360 40m KNX - surface, sq. black	Tangential range	Ø 40 m (1257 m²)
Product category	Presence detector	Switching zones	1416 switching zones
Discount group	BK	Mounting height	2,50 – 4,00 m
Source	Steinel Excel	Presence range	Ø 3 m (7 m²)
Product status	Normal	Optimal mounting height	2,8 m
Manufacturer	Steinel	Nevalux sensor technology	KNX
DIMENSIONS		CONNECTIVITY	
Dimensions L x W x H	65 x 95 x 95 mm	Networking	Yes
PU1 net weight	0.156	Type of networking	Master/slave
ELECTRICAL		Networking via	KNX bus
Supply voltage detail	KNX bus	KNX functions	Photo-cell controller Basic light level function Light level HVAC output Constant-lighting control Light output 2x Presence output Day / night function Logic gate
SENSOR TECHNOLOGY		With bus coupler	Yes
Max. mounting height	4,00 m	LIGHTING TECHNOLOGY	
Sensor technology	passive infrared	Continuous light	selectable
With motion detector	Yes	Constant light regulation	Yes
Detection angle	360 °	SETTINGS	
Opening angle	180 °	Twilight switch	Yes
Sneak-under protection	Yes		

Twilight setting	2 – 1000 lx
Time setting	5 s – 15 Min.
Base light function	Yes
Main light adjustable	0 - 100 %
Settings via	ETS software Remote control Bus Smart Remote
Twilight setting teach	Yes
HOUSING & MATERIAL	
Protection class (IP)	IP54
Ambient temperature	from -20 up to 50 °C
Mounting location	ceiling
Application location	Outdoors Indoors
Mounting type	Surface wiring
Material	Plastic
Application room	production facilities recreation room changing room function room / ancillary room sports hall reception / lobby stairwell WC / washroom multi-storey / underground car park outdoors warehouse Indoors
Colour	black
RAL colour	9005
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	5 years
Corner wall bracket included	No

IS 3360 40m KNX - surface, sq. black

PRESENCE DETECTOR

EAN 4007841068561

Illustrations

TECHNICAL DRAWINGS



65 x 95 x 95 mm

MOUNTING HEIGHT

2,50 – 4,00 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
--------------------------	------------------	---------------

IS 3360 40m KNX - surface, sq. black


EAN 4007841068561

PRESENCE DETECTOR

Highlights



UV-resistant plastic



Large terminal compartment



Optional remote controls



Smart Remote remote control optional

IS 3360 40m KNX - surface, sq. black

PRESENCE DETECTOR

EAN 4007841068561

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841593018	Service Fernbedienung RC6 KNX	Other
 4007841592912	Nutzer Fernbedienung RC7 KNX	Accessory
 4007841009151	Smart Remote	Accessory
 4007841056711	Schwarze Blende für IR-Sensoren Aufputz eckig	Accessory
 4007841056735	Schwarze Blende für IR-Sensoren Aufputz rund	Accessory

ORDERING INFORMATION

Art.-Nr.

068561

EAN

4007841068561

Typ

IS 3360 40m KNX - surface, sq. black

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss