

zwena connect HF C350 4K

ZWENA CONNECT C

neva
lux

350 x 82 mm



zwena connect HF C350 4K

ZWENA CONNECT C

Technical Data

IDENTIFICATION		Nevalux sensor technology		Smartlink, BT SIG Mesh	With emergency light	No
Source	woocommerce	With light sensor	Yes		Direct/indirect ratio separately controllable	No
Product status	Normal	CONNECTIVITY			With program-controlled lighting control	Yes
Manufacturer	Nevalux	With radio network control	Yes		Constant light output control	Yes
DIMENSIONS		LIGHTING TECHNOLOGY			HOUSING & MATERIAL	
Dimensions Ø × H	350 x 82 mm	Colour temperature	4000 K		Protection class (IP)	IP20
ELECTRICAL		LED colour deviation	SDCM3		Protection class	I
Mains connection	200...240 V / 50 – 60 Hz	Colour rendering index	80-89		Ambient temperature	-20...45 °C
Power	18 W	Illuminant	LED		Housing material	Aluminum
Replaceable driver	Yes	Luminous flux	1700 lm (Down 1200, Up 500)		Cover material	Microprismatic acrylic glass
Type of wiring	Suitable for through wiring	Beam angle	Down 95°, Up 100°		Mounting type	Ceiling / wall surface-mounted
LED rated current	450 mA	Luminaire luminous efficacy	94 lm/W		Colour	White
SENSOR TECHNOLOGY		Glare value	UGR < 18		SCOPE OF DELIVERY & WARRANTY	
Sensor technology	High frequency	LIFETIME			Manufacturer warranty	5 years
With motion detector	Yes	LED lifespan (25 °C)	50000 h		CERTIFICATES & EPREL	
Detection angle	360°	SETTINGS			EPREL energy efficiency class	F
Radial range	Ø 8 m (50 m²)	DALI dimming	Yes			
Tangential range	Ø 8 m (50 m²)					
Mounting height	< 4 m					

zwena connect HF C350 4K

ZWENA CONNECT C

Illustrations


MOUNTING HEIGHT

< 4 m BEREICH
--

zwena connect HF C350 4K

ZWENA CONNECT C

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 221753	Emergency Package 1h (50V/1.5W/Compact/PS)	Emergency lighting
 221570	Connect TK2 BLM	Pushbutton interface
 221591	Smartlink T-Board PB4	Wireless push-button
 221970	Bluetooth EDIZIO.liv SNAPFIX Low Energy PB2	Wireless push-button
 221971	Bluetooth EDIZIO.liv SNAPFIX Low Energy PB4	Wireless push-button

ORDERING INFORMATION

Art.-Nr.

222045

Typ

zwena connect HF C350 4K

neva
lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss