

IS 3360 40m KNX - concealed, rd. black

neva
lux

PRESENCE DETECTOR

EAN 4007841068592

124 x 78 mm



EAN 4007841068592

PRESENCE DETECTOR

IDENTIFICATION

PU1 EAN	4007841068592
Material number	110078868
SAP designation	BEWEGUNGSMELDER IS 3360-R KNX V3.1 UP SW
Version	Motion and Presence Detector
Product name data sheet	IS 3360 40m KNX - concealed, rd. black
Product category	Presence detector
Discount group	BK
Source	Steinel Excel
Product status	Normal
Manufacturer	Steinel

Dimensions L x W x H	78 x 94 x 94 mm
Dimensions Ø x H	124 x 78 mm
PU1 net weight	0.141

Supply voltage detail	KNX bus
-----------------------	---------

Max. mounting height	4,00 m
Sensor technology	passive infrared
With motion detector	Yes
Detection angle	360 °
Opening angle	180 °

Sneak-under protection	Yes
Segment-by-segment masking	Yes
Electronic scalability	No
Mechanical scalability	No
Radial range	Ø 8 m (50 m²)
Tangential range	Ø 40 m (1257 m²)
Switching zones	1416 switching zones
Mounting height	2,50 – 4,00 m
Presence range	Ø 3 m (7 m²)
Optimal mounting height	2,8 m
Nevalux sensor technology	KNX

Networking	Yes
Type of networking	Master/slave
Networking via	KNX bus
KNX functions	Photo-cell controller Basic light level function Light level HVAC output Constant- lighting control Light output 2x Presence output Day / night function Logic gate

With bus coupler	Yes
------------------	-----

Continuous light	selectable
Constant light regulation	Yes

Twilight switch Yes

Twilight setting	2 – 1000 lx
Time setting	5 s – 15 Min.
Base light function	Yes
Main light adjustable	0 - 100 %
Settings via	ETS software Remote control Bus Smart Remote
Twilight setting teach	Yes

Protection class (IP)	IP20
Ambient temperature	from -20 up to 50 °C
Mounting location	ceiling
Application location	Indoors
Mounting type	Concealed wiring
Material	Plastic

Application room	production facilities
	recreation room changing
	room function room /
	ancillary room sports hall
	reception / lobby stairwell
	WC / washroom multi-storey
	/ underground car park
	warehouse Indoors
Colour	black
RAL colour	9005

Manufacturer warranty	5 years
-----------------------	---------

Corner wall bracket included	No
------------------------------	----


IS 3360 40m KNX - concealed, rd. black

PRESENCE DETECTOR

EAN 4007841068592

Illustrations

TECHNICAL DRAWINGS



124 x 78 mm

MOUNTING HEIGHT

2,50 – 4,00 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
--------------------------	------------------	---------------

IS 3360 40m KNX - concealed, rd. black

EAN 4007841068592

PRESENCE DETECTOR

Highlights



UV-resistant plastic



Optional remote controls




Smart Remote remote control optional

IS 3360 40m KNX - concealed, rd. black

PRESENCE DETECTOR

EAN 4007841068592

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841593018	Service Fernbedienung RC6 KNX	Other
 4007841592912	Nutzer Fernbedienung RC7 KNX	Accessory
 4007841009151	Smart Remote	Accessory
 4007841056728	Schwarze Blende für IR-Sensoren Unterputz eckig	Accessory
 4007841056742	Schwarze Blende für IR-Sensoren Unterputz rund	Accessory

ORDERING INFORMATION

Art.-Nr.

068592

EAN

4007841068592

Typ

IS 3360 40m KNX - concealed, rd. black

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss