

RS PRO P2 flat Neutral white

LED INDOOR LIGHT WITHOUT SENSOR

neva
lux

EAN 4007841069759

322 x 68 mm



RS PRO P2 flat Neutral white

EAN 4007841069759

LED INDOOR LIGHT WITHOUT SENSOR

Technical Data

IDENTIFICATION		SENSOR TECHNOLOGY		LED lifetime per IES TM-21 L70	
PU1 EAN	4007841069759	With motion detector	No	>60.000 h	
Material number	110080676	CONNECTIVITY		LED lifetime per IES TM-21 L80	
SAP designation	LED INNENLEUCHTE RS PRO P2 FL. NW	Networking via	Cable		
Product name data sheet	RS PRO P2 flat Neutral white	LIGHTING TECHNOLOGY		SETTINGS	
Product category	LED indoor light without sensor	Measured luminous flux 360°	1684 lm	Main light adjustable	No
Discount group	I	Colour temperature	4000 K	HOUSING & MATERIAL	
Source	Steinel Excel	With illuminant	Yes, STEINEL LED system	Impact resistance	IK03
Product status	Normal	Illuminant	LED cannot be replaced	Protection class (IP)	IP54
Manufacturer	Steinel	Base	without	Protection class	II
DIMENSIONS		LED cooling system	Passive Thermo Control	Ambient temperature	from -10 up to 40 °C
Dimensions Ø × H	322 x 68 mm	Soft light start	Yes	Housing material	Plastic
PU1 net weight	0.571	Photobiological safety per EN 62471	RG1	Cover material	Plastic, opal
ELECTRICAL		LIFETIME		Mounting location	wall ceiling
Mains connection	220 – 240 V / 50 – 60 Hz	LED lifetime max. °C	50000 h	Colour	white
Power	14,1 W	LED lifetime L70B50 25°C	> 60000 h	Protection class ceiling	IP54
B10 fuse (pcs)	54	Luminous flux decline per LM80	L80B10	SCOPE OF DELIVERY & WARRANTY	
B16 fuse (pcs)	87	LED lifetime per IEC 62717 L70	100.000 h	Manufacturer warranty	5 years
C10 fuse (pcs)	90	LED lifetime per IEC 62717 L80	73.000 h	CERTIFICATES & EPREL	
C16 fuse (pcs)	145			Certificates	DEKRA
Maximum inrush current	13 A			EPREL category	Surrounded product with integrated light source


RS PRO P2 flat Neutral white

EAN 4007841069759

LED INDOOR LIGHT WITHOUT SENSOR

Illustrations

TECHNICAL DRAWINGS



322 x 68 mm


RS PRO P2 flat Neutral white

EAN 4007841069759

LED INDOOR LIGHT WITHOUT SENSOR


Wiring Diagrams

WIRING DIAGRAM 1



Master circuit diagram

WIRING DIAGRAM 2



Master/slave interconnection circuit diagram

RS PRO P2 flat Neutral white


EAN 4007841069759

LED INDOOR LIGHT WITHOUT SENSOR

Highlights



Including STEINEL LED system



Intelligent soft light start



Interconnectable by cable (maximum of 10 units)

RS PRO P2 flat Neutral white

EAN 4007841069759

LED INDOOR LIGHT WITHOUT SENSOR

Accessories

ORDERING INFORMATION

Art.-Nr. 069759

EAN 4007841069759

Typ RS PRO P2 flat Neutral white

**neva
lux**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss