

IS 3360 KNX - surface, rd. white

MOTION AND PRESENCE DETECTOR

neva
lux

EAN 4007841058180

126 x 65 mm



IS 3360 KNX - surface, rd. white

MOTION AND PRESENCE DETECTOR

EAN 4007841058180

Technical Data

IDENTIFICATION

PU1 EAN	4007841058180
Material number	110062757
SAP designation	BEWEGUNGSMELDER IS 3360-R KNX V3.1AP WS
Version	Motion and Presence Detector
Product name data sheet	IS 3360 KNX - surface, rd. white
Product category	Motion and Presence Detector
Discount group	BK
Source	Steinel Excel
Product status	Normal
Manufacturer	Steinel

DIMENSIONS

Dimensions L × W × H	65 x 95 x 95 mm
Dimensions Ø × H	126 x 65 mm
PU1 net weight	0.163

ELECTRICAL

Supply voltage detail	KNX bus
-----------------------	---------

SENSOR TECHNOLOGY

Max. mounting height	4,00 m
Sensor technology	passive infrared
With motion detector	Yes
Detection angle	360 °
Opening angle	180 °
Sneak-under protection	Yes

Segment-by-segment masking	Yes
Electronic scalability	No
Mechanical scalability	No
Radial range	Ø 8 m (50 m²)
Tangential range	Ø 40 m (1257 m²)
Switching zones	1416 switching zones
Mounting height	2,50 – 4,00 m
Presence range	Ø 3 m (7 m²)
Optimal mounting height	2,8 m
Nevalux sensor technology	KNX

CONNECTIVITY

Networking	Yes
Type of networking	Master/slave
Networking via	KNX bus
KNX functions	Photo-cell controller Basic light level function Light level HVAC output Constant-lighting control Light output 2x Presence output Day / night function Logic gate
With bus coupler	Yes

LIGHTING TECHNOLOGY

Soft light start	Yes
Continuous light	selectable
Constant light regulation	Yes

SETTINGS

Twilight switch	Yes
-----------------	-----

Twilight setting	2 – 1000 lx
Time setting	5 s – 15 Min.
Base light function	Yes
Main light adjustable	0 - 100 %
Settings via	ETS software Remote control Bus Smart Remote
With remote control	No
Twilight setting teach	Yes

HOUSING & MATERIAL

Protection class (IP)	IP54
Ambient temperature	from -20 up to 50 °C
Mounting location	ceiling
Application location	Outdoors Indoors
Mounting type	Surface wiring
Material	Plastic
Application room	production facilities recreation room changing room function room / ancillary room sports hall reception / lobby stairwell WC / washroom multi-storey / underground car park outdoors warehouse Indoors

Colour	white
RAL colour	9003

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	5 years
Corner wall bracket included	No


IS 3360 KNX - surface, rd. white

MOTION AND PRESENCE DETECTOR

EAN 4007841058180

Illustrations

TECHNICAL DRAWINGS



126 x 65 mm

MOUNTING HEIGHT

2,50 – 4,00 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
--------------------------	------------------	---------------

IS 3360 KNX - surface, rd. white


EAN 4007841058180

MOTION AND PRESENCE DETECTOR

Highlights



UV-resistant plastic



Large terminal compartment



Optional remote controls



Smart Remote remote control optional

IS 3360 KNX - surface, rd. white

MOTION AND PRESENCE DETECTOR

EAN 4007841058180

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841009151	Smart Remote	Accessory
 4007841593018	Service Fernbedienung RC6 KNX	Other
 4007841592912	Nutzer Fernbedienung RC7 KNX	Accessory
 4007841056735	Schwarze Blende für IR-Sensoren Aufputz rund	Accessory
 4007841056711	Schwarze Blende für IR-Sensoren Aufputz eckig	Accessory

ORDERING INFORMATION

Art.-Nr.

058180

EAN

4007841058180

Typ

IS 3360 KNX - surface, rd. white

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss