

RS PRO R30 plus Q SC warm white

SENSOR-SWITCHED LED INDOOR LIGHT

neva
lux

EAN 4007841067786

350 x 350 x 55 mm




RS PRO R30 plus Q SC warm white

SENSOR-SWITCHED LED INDOOR LIGHT

EAN 4007841067786

Illustrations

TECHNICAL DRAWINGS



350 x 350 x 55 mm

MOUNTING HEIGHT

2,00 – 4,00 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
--------------------------	------------------	---------------


RS PRO R30 plus Q SC warm white

SENSOR-SWITCHED LED INDOOR LIGHT

EAN 4007841067786


Wiring Diagrams

WIRING DIAGRAM 1



Slave/wireless master interconnection circuit diagram

WIRING DIAGRAM 2



Master/master interconnection circuit diagram

RS PRO R30 plus Q SC warm white


EAN 4007841067786

SENSOR-SWITCHED LED INDOOR LIGHT


Highlights



Including STEINEL LED system



Interconnectable and adjustable via Bluetooth



Impact-resistant material rated to IK07



Backlight function




Optional basic lighting level 0 - 100 %



Adjustable main light brightness (0 - 100%)



Optional emergency light



Modern plug-in terminals for straightforward installation

RS PRO R30 plus Q SC warm white

SENSOR-SWITCHED LED INDOOR LIGHT

EAN 4007841067786

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841064143	Notlicht-Modul R-Serie	Accessory
 4007841087234	Adapter R-Serie für Notlichtweiche	Accessory
 4007841084653	Funktaster PB2-Bluetooth	System components
 4007841084660	Funktaster PB4-Bluetooth	System components
 221386	Universal P-Set 3S	Suspension cable
 4007841067335	Relais REL5A-Bluetooth	System components
 4007841067342	Tasterkoppler PC4-Bluetooth	System components
 4007841064914	Ersatzakku für Notlicht R-Serie	Spare Part

ORDERING INFORMATION

Art.-Nr.

067786

EAN

4007841067786

Typ

RS PRO R30 plus Q SC warm white

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss