

IR Quattro SLIM XS 4m KNX - square white

neva
lux

PRESENCE DETECTOR

EAN 4007841058500

49 x 80 x 80 mm



IR Quattro SLIM XS 4m KNX - square white

EAN 4007841058500

PRESENCE DETECTOR

Technical Data

IDENTIFICATION			Range detail			Base light function time		
PU1 EAN			Retina lens and hexagonal Fresnel structure			Permanently ON 1-255 min all night		
Material number			Radial range			Main light adjustable		
SAP designation			Tangential range			0 - 100 %		
Version			Switching zones			Settings via		
Product name data sheet			Mounting height			ETS software Remote control Bus Smart Remote		
Product category			Presence range			With remote control		
Discount group			Optimal mounting height			Twilight setting teach		
Source			Nevalux sensor technology			Base light function in percent		
Product status			CONNECTIVITY			Base light function percent from		
Manufacturer			Networking			10 - 50 %		
DIMENSIONS			Type of networking			Base light function percent to		
Dimensions L x W x H			Master/master Master/slave			HOUSING & MATERIAL		
PU1 net weight			Networking via			Protection class (IP)		
ELECTRICAL			KNX functions			Ambient temperature		
Supply voltage detail			Photo-cell controller Basic light level function Light level HVAC output Constant-lighting control Light output 4x Presence output Day / night function Logic gate			from 0 up to 40 °C		
SENSOR TECHNOLOGY			With bus coupler			Mounting location		
Max. mounting height			LIGHTING TECHNOLOGY			Application location		
Sensor technology			Soft light start			Indoors		
Detection angle			Continuous light			Mounting type		
Opening angle			Constant light regulation			Concealed wiring		
Sneak-under protection			SETTINGS			Material		
Segment-by-segment masking			Twilight switch			Plastic		
Electronic scalability			Twilight setting			Application room		
Mechanical scalability			Time setting			one-person office hotel room care room function room / ancillary room WC / washroom Indoors		
			Base light function			Colour		
						RAL colour		
						SCOPE OF DELIVERY & WARRANTY		
						Manufacturer warranty		
						5 years		
						Corner wall bracket included		
						No		


IR Quattro SLIM XS 4m KNX - square white

PRESENCE DETECTOR

EAN 4007841058500

Illustrations

TECHNICAL DRAWINGS



49 x 80 x 80 mm

MOUNTING HEIGHT


2,50 – 4,00 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
--------------------------	------------------	---------------

IR Quattro SLIM XS 4m KNX - square white

EAN 4007841058500

PRESENCE DETECTOR

Highlights



Extremely slim overall height



High-quality retina lens



Can only be set using optional remote controls



Smart Remote remote control optional

IR Quattro SLIM XS 4m KNX - square white

PRESENCE DETECTOR

EAN 4007841058500

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841009151	Smart Remote	Accessory
 4007841593018	Service Fernbedienung RC6 KNX	Other
 4007841592912	Nutzer Fernbedienung RC7 KNX	Accessory

ORDERING INFORMATION

Art.-Nr.

058500

EAN

4007841058500

Typ

IR Quattro SLIM XS 4m KNX - square white

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss