

RS PRO P1 flat warm white

LED INDOOR LIGHT WITHOUT SENSOR

neva
lux

EAN 4007841069704

272 x 64 mm



RS PRO P1 flat warm white

LED INDOOR LIGHT WITHOUT SENSOR

EAN 4007841069704

Technical Data

IDENTIFICATION		SENSOR TECHNOLOGY		LED lifetime per IES TM-21 L70	
PU1 EAN	4007841069704	With motion detector	No	>60.000 h	
Material number	110080671	CONNECTIVITY		LED lifetime per IES TM-21 L80	
SAP designation	LED INNENLEUCHTE RS PRO P1 FL WW	Networking via	Cable		
Product name data sheet	RS PRO P1 flat warm white	LIGHTING TECHNOLOGY		SETTINGS	
Product category	LED indoor light without sensor	Measured luminous flux 360°	922 lm	Main light adjustable	No
Discount group	I	Colour temperature	3000 K	HOUSING & MATERIAL	
Source	Steinel Excel	With illuminant	Yes, STEINEL LED system	Impact resistance	IK03
Product status	Normal	Illuminant	LED cannot be replaced	Protection class (IP)	IP54
Manufacturer	Steinel	Base	without	Protection class	II
DIMENSIONS		LED cooling system	Passive Thermo Control	Ambient temperature	from -10 up to 40 °C
Dimensions Ø × H	272 x 64 mm	Soft light start	Yes	Housing material	Plastic
PU1 net weight	0.355	Photobiological safety per EN 62471	RG1	Cover material	Plastic, opal
ELECTRICAL		LIFETIME		Mounting location	ceiling
Mains connection	220 – 240 V / 50 – 60 Hz	LED lifetime max. °C	60000 h	Application location	Indoors
Power	8,2 W	LED lifetime L70B50 25°C	> 60000 h	Colour	white
B10 fuse (pcs)	54	Luminous flux decline per LM80	L80B10	Protection class ceiling	IP54
B16 fuse (pcs)	87	LED lifetime per IEC 62717 L70	100.000 h	SCOPE OF DELIVERY & WARRANTY	
C10 fuse (pcs)	90	LED lifetime per IEC 62717 L80	73.000 h	Manufacturer warranty	5 years
C16 fuse (pcs)	145			CERTIFICATES & EPREL	
Maximum inrush current	13 A			Certificates	DEKRA
				EPREL category	Surrounded product with integrated light source


RS PRO P1 flat warm white

EAN 4007841069704

LED INDOOR LIGHT WITHOUT SENSOR

Illustrations

TECHNICAL DRAWINGS



272 x 64 mm


RS PRO P1 flat warm white

EAN 4007841069704

LED INDOOR LIGHT WITHOUT SENSOR


Wiring Diagrams

WIRING DIAGRAM 1



Master circuit diagram

WIRING DIAGRAM 2



Master/slave interconnection circuit diagram

RS PRO P1 flat warm white


EAN 4007841069704

LED INDOOR LIGHT WITHOUT SENSOR

Highlights



Including STEINEL LED system



Intelligent soft light start



Interconnectable by cable (maximum of 10 units)

RS PRO P1 flat warm white

LED INDOOR LIGHT WITHOUT SENSOR

EAN 4007841069704

Accessories

ORDERING INFORMATION	
Art.-Nr.	069704
EAN	4007841069704
Typ	RS PRO P1 flat warm white
nevalux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	