

# zwena DALI C600 4K

ZWENA CONNECT C

**neva**  
**lux**

600 x 82 mm



# zwena DALI C600 4K

ZWENA CONNECT C

## Technical Data

| IDENTIFICATION            |                             | With light sensor           |                              | No | With emergency light |  | No |
|---------------------------|-----------------------------|-----------------------------|------------------------------|----|----------------------|--|----|
| Source                    | woocommerce                 | LIGHTING TECHNOLOGY         |                              |    |                      |  |    |
| Product status            | Normal                      | Colour temperature          | 4000 K                       |    |                      |  |    |
| Manufacturer              | Nevalux                     | LED colour deviation        | SDCM3                        |    |                      |  |    |
| DIMENSIONS                |                             | Colour rendering index      | 80-89                        |    |                      |  |    |
| Dimensions Ø × H          | 600 x 82 mm                 | Illuminant                  | LED                          |    |                      |  |    |
| ELECTRICAL                |                             | Luminous flux               | 5250 lm (Down 3500, Up 1750) |    |                      |  |    |
| Mains connection          | 200...240 V / 50 – 60 Hz    | Beam angle                  | Down 95°, Up 100°            |    |                      |  |    |
| Power                     | 48 W                        | Luminaire luminous efficacy | 109 lm/W                     |    |                      |  |    |
| Replaceable driver        | Yes                         | Glare value                 | UGR < 18                     |    |                      |  |    |
| Type of wiring            | Suitable for through wiring | LIFETIME                    |                              |    |                      |  |    |
| LED rated current         | 1300 mA                     | LED lifespan (25 °C)        | 50000 h                      |    |                      |  |    |
| SENSOR TECHNOLOGY         |                             | SETTINGS                    |                              |    |                      |  |    |
| With motion detector      | No                          | DALI dimming                | Yes                          |    |                      |  |    |
| Nevalux sensor technology | DALI 2                      |                             |                              |    |                      |  |    |

zwena DALI C600 4K

ZWENA CONNECT C

Accessories

| ARTICLE NUMBER                                                                           | DESCRIPTION                     | CATEGORY           |
|------------------------------------------------------------------------------------------|---------------------------------|--------------------|
|  220570  | zwena DALI C350 4K              |                    |
|  220572  | zwena DALI C450 4K              |                    |
|  220576  | zwena DALI C900 4K              |                    |
|  221618 | Emergency Package 1h (50V/3.5W) | Emergency lighting |

ORDERING INFORMATION

Art.-Nr.

220574

Typ

zwena DALI C600 4K

neva  
lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss