

Multisensor Air BT IPD - concealed

AIR-QUALITY SENSOR

neva
lux

EAN 4007841084264

- Air quality sensor with most detection sizes
- Application area: school, office
- Easy-to-install plug-in system with magnetic connection, integrated RGB LED traffic light and signal tone for visualising the room climate
- Measurement of brightness, temperature, humidity, CO₂, VOC, air pressure, noise level
- Interface-dependent additional calculated values such as risk of infection
- Award-winning design

33 x 123 x 123 mm



Multisensor Air BT IPD - concealed

EAN 4007841084264

AIR-QUALITY SENSOR

Technical Data

IDENTIFICATION		SENSOR TECHNOLOGY		With remote control		No
PU1 EAN	4007841084264	Max. mounting height	12,00 m	Twilight setting teach	Yes	
Material number	110086395	With motion detector	No	HOUSING & MATERIAL		
SAP designation	MULTISENSOR AIR V2 BT IPD UP WS	Sneak-under protection	No	Protection class (IP)	IP20	
Version	Other	Mounting height	2 – 12 m	Ambient temperature	from 0 up to 50 °C	
Product name data sheet	Multisensor Air BT IPD - concealed	Optimal mounting height	2,8 m	Housing material	Plastic	
Product category	Air-quality sensor	Nevalux sensor technology	BT SIG Mesh	Mounting location	ceiling	
DISCOUNT GROUP		CONNECTIVITY		Application location	Indoors	
Discount group	TP	Networking	Yes	Mounting type	Concealed wiring	
Source	Steinel Excel	Networking via	Bluetooth Mesh	Material	Plastic	
Product status	Normal	LIGHTING TECHNOLOGY		Application room	open-plan office hotel room classroom conference room / meeting room	
Manufacturer	Steinel	Continuous light	selectable	Colour	white	
DIMENSIONS		Constant light regulation	No	RAL colour	9003	
Dimensions L x W x H	33 x 123 x 123 mm	SETTINGS		SCOPE OF DELIVERY & WARRANTY		
PU1 net weight	0.147	Twilight switch	Yes	Manufacturer warranty	5 years	
ELECTRICAL		Twilight setting	2 – 2000 lx	Corner wall bracket included	No	
Mains connection	50 – 60 Hz	Main light adjustable	Yes			
		Settings via	Smartphone Tablet Bluetooth Mesh			


Multisensor Air BT IPD - concealed

AIR-QUALITY SENSOR

EAN 4007841084264

Illustrations

TECHNICAL DRAWINGS



33 x 123 x 123 mm

MOUNTING HEIGHT

2 – 12 m BEREICH	2,8 m OPTIMAL	12,00 m MAX
---------------------	------------------	----------------


Multisensor Air BT IPD - concealed

EAN 4007841084264

AIR-QUALITY SENSOR

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

Multisensor Air BT IPD - concealed

EAN 4007841084264

AIR-QUALITY SENSOR

Highlights



UV-resistant plastic



Visual and auditory signal on room climate

Multisensor Air BT IPD - concealed

AIR-QUALITY SENSOR

EAN 4007841084264

Accessories

ORDERING INFORMATION	
Art.-Nr.	084264
EAN	4007841084264
Typ	Multisensor Air BT IPD - concealed
nevalux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	