

elani P2400 TW

ELANI

neva
lux

2400 x 60 x 80 mm



elani P2400 TW

ELANI

Technical Data

IDENTIFICATION

Source	woocommerce
Product status	Normal
Manufacturer	Nevalux

DIMENSIONS

Dimensions L x W x H	2400 x 60 x 80 mm
Suspension length	2000 mm

ELECTRICAL

Mains connection	200...240 V / 50 – 60 Hz
Power	74 W
Replaceable driver	Yes
Type of wiring	Suitable for through wiring

SENSOR TECHNOLOGY

With motion detector	No
Nevalux sensor technology	DALI 2
With light sensor	No

LIGHTING TECHNOLOGY

Colour temperature	3000...5600 K
LED colour deviation	SDCM3
Colour rendering index	80-89

Illuminant	Yes, LED-System
Luminous flux	9600 lm (Down 6240, Up 3360)

Beam angle **Down 105°, Up 115°**

Luminaire luminous efficacy	130 lm/W
-----------------------------	----------

Glare value	UGR < 22
-------------	----------

LIFETIME

LED lifespan (25 °C) 70000 h

SETTINGS

DALI dimming	Yes
--------------	-----

With emergency light	No
----------------------	----

Suitable for light band configuration	Yes
---------------------------------------	-----

Direct/indirect ratio separately controllable	Yes
---	-----

Constant light output control	Yes
-------------------------------	-----

HOUSING & MATERIAL

Protection class (IP)	IP20
-----------------------	------

Protection class	II
------------------	----

Ambient temperature	-20...45 °C
---------------------	-------------

Housing material	Aluminium
------------------	-----------

Cover material	Acrylic glass opal
----------------	--------------------

Mounting type	Ceiling pendant
---------------	-----------------

Colour	Aluminium
--------	-----------

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	5 years
-----------------------	---------


CERTIFICATES & EPREL

EPREL energy efficiency class

elani P2400 TW

ELANI

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 221101	elani Diffusor 2500 CDP	
 221108	Emergency Package 1h (Astra)	Emergency lighting
 221343	elani Connector 90°	Coupler/connector L-shape
 221107	elani Link	Coupler/connector straight
 221396	elani Color RAL_NCS_2400	Other
 221996	elani WM-Set 2B	Mounting kit

ORDERING INFORMATION

Art.-Nr.

221119

Typ

elani P2400 TW

nevalux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss