

XLED home 2 white

LED FLOODLIGHT WITHOUT SENSOR

neva
lux

EAN 4007841033125

- Spotlight without motion detector, with fully swivelling LED panel in noble opal look
- Never change bulbs again thanks to 50,000 hours LED life (approx. 30 years at 4.5 hours/day)
- Optional corner wall bracket available for optimal illumination of an area in front of two house walls
- Warm white light (3000 K) and long-life 13,7 W LEDs with 1550 lm, with an illumination of max. 150 sqm
- Incl. mounting accessories - plastic-free packaging

161 x 180 x 181 mm



XLED home 2 white

LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841033125

Technical Data

IDENTIFICATION		LIGHTING TECHNOLOGY		HOUSING & MATERIAL	
PU1 EAN	4007841033125	Measured luminous flux 360°	1550 lm	Impact resistance	IK03
Material number	110080884	Colour temperature	3000 K	Protection class (IP)	IP44
SAP designation	LED STRAHLER XLED HOME 2 WS	LED colour deviation	SDCM3	Protection class	II
Product name data sheet	XLED home 2 white	Colour rendering index	80-89	Ambient temperature	from -20 up to 40 °C
Product category	LED floodlight without sensor	With illuminant	Yes, STEINEL LED system	Housing material	HCMC
Discount group	SCH	Illuminant	LED cannot be replaced	Cover material	Plastic, opal
Source	Steinel Excel	Base	without	Mounting location	wall corner
Product status	Discontinued item	LED cooling system	HCMC (High Conductive Magnesium Composite)	Application location	Outdoors
Manufacturer	Steinel	Photobiological safety per EN 62471	Sonstige	Mounting type	Surface wiring
DIMENSIONS		LIFETIME		Application room	outdoors all round the building terrace / balcony courtyard & driveway
Dimensions L x W x H	161 x 180 x 181 mm	LED lifetime max. °C	50000 h	SCOPE OF DELIVERY & WARRANTY	
PU1 net weight	0.483	LED lifetime L70B50 25°C	> 60000 h	Manufacturer warranty	5 years
ELECTRICAL		Luminous flux decline per LM80	L70B10	CERTIFICATES & EPREL	
Mains connection	220 – 240 V / 50 – 60 Hz	SETTINGS		EPREL energy efficiency class	E
Power	13,7 W	Twilight switch	No	EPREL category	Light source
SENSOR TECHNOLOGY					
With motion detector	No				


XLED home 2 white

EAN 4007841033125

LED FLOODLIGHT WITHOUT SENSOR

Illustrations

TECHNICAL DRAWINGS



161 x 180 x 181 mm


XLED home 2 white

EAN 4007841033125

LED FLOODLIGHT WITHOUT SENSOR

Wiring Diagrams

WIRING DIAGRAM 1




Slave circuit diagram

XLED home 2 white

EAN 4007841033125

LED FLOODLIGHT WITHOUT SENSOR

Highlights




Including STEINEL LED system



HCMC cooling system



UV-resistant plastic



Colour rendering index $R_a \geq 80$



Optional corner wall mount bracket

XLED home 2 white

LED FLOODLIGHT WITHOUT SENSOR

EAN 4007841033125

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841055875	Eckwandhalter XLED Home 2/ Protect/ Pro 240 schwarz	Accessory
 4007841053086	Eckwandhalter XLED Home 2/ Protect/ Pro 240/ PRO Expanse graphit	Accessory
 4007841055615	Eckwandhalter XLED Home 2/ Protect/ Pro 240/ PRO Expanse weiss	Accessory
 4007841053109	Eckwandhalter XLED Home 2/ Protect/ Pro 240/ PRO Expanse silber	Accessory

ORDERING INFORMATION

Art.-Nr.

033125

EAN

4007841033125

Typ

XLED home 2 white

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss