

sensIQ S Anthracite

MOTION DETECTOR

neva
lux

EAN 4007841059583

128 x 114 x 74 mm



sensIQ S Anthracite

MOTION DETECTOR

EAN 4007841059583

Technical Data

IDENTIFICATION	
PU1 EAN	4007841059583
Material number	110064212
SAP designation	BEWEGUNGSMELDER SENSIQ S KNX V3.1 ANT
Version	Motion detectors
Product name data sheet	sensIQ S Anthracite
Product category	Motion detector
Discount group	BK
Source	Steinel Excel
Product status	Normal
Manufacturer	Steinel
DIMENSIONS	
Dimensions L x W x H	128 x 114 x 74 mm
PU1 net weight	0.232
SENSOR TECHNOLOGY	
Max. mounting height	5,00 m
Sensor technology	passive infrared
Detection angle	300 °
Opening angle	180 °
Sneak-under protection	Yes
Segment-by-segment masking	Yes
Electronic scalability	No

Mechanical scalability	Yes
Range detail	Reach adjustable from 2 - 20 m in 3 directions (100° in each)
Radial range	r = 4 m (42 m²)
Tangential range	r = 20 m (1047 m²)
Mounting height	2 – 5,00 m
Optimal mounting height	2 m
Nevalux sensor technology	KNX
CONNECTIVITY	
Networking	Yes
Type of networking	Master/master Master/slave
Networking via	KNX bus
KNX functions	Light output 2x Presence output Light level Constant-lighting control Basic light level function Photo-cell controller Close range Individual pyro evaluation Logic gate
With bus coupler	Yes
LIGHTING TECHNOLOGY	
Soft light start	Yes
Continuous light	selectable
Constant light regulation	Yes
SETTINGS	
Twilight switch	Yes

Twilight setting	2 – 1000 lx
Time setting	60 s – 15 Min.
Base light function	Yes
Main light adjustable	0 - 100 %
Settings via	ETS software Remote control Bus Smart Remote
With remote control	Yes
Twilight setting teach	Yes
HOUSING & MATERIAL	
Ambient temperature	from -20 up to 50 °C
Mounting location	wall corner
Application location	Indoors Outdoors
Mounting type	Surface wiring
Material	Plastic
Application room	multi-storey / underground car park outdoors warehouse front door all round the building courtyard & driveway Indoors
Colour	Anthracite
RAL colour	7016
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	5 years
Corner wall bracket included	Yes


sensIQ S Anthracite

MOTION DETECTOR

EAN 4007841059583

Illustrations

TECHNICAL DRAWINGS



128 x 114 x 74 mm

MOUNTING HEIGHT

2 – 5,00 m BEREICH	2 m OPTIMAL	5,00 m MAX
--	-----------------------------------	----------------------------------

sensIQ S Anthracite

EAN 4007841059583

MOTION DETECTOR

Highlights



4x pyro system



UV-resistant plastic



Including corner wall mount



Remote control RC9 included



Smart Remote remote control optional

sensIQ S Anthracite

MOTION DETECTOR

EAN 4007841059583

Accessories

ORDERING INFORMATION

Art.-Nr.	059583
EAN	4007841059583
Typ	sensIQ S Anthracite

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss